

Number of specimens	Host	Country	Reliability
1	N/A / (Unknown) (None)	Yemen	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	Senegal	F: no host data, fly ID confirmed or considered reliable
1	Solanaceae / Capsicum sp. (None)	South Africa	A: reared material, fly ID confirmed
1	Rutaceae / Clausena anisata (None)	Kenya	A: reared material, fly ID confirmed
8	Apocynaceae / Acokanthera schimperi (round-leaved poison bush)	Kenya	A: reared material, fly ID confirmed
1	Sapotaceae / Sideroxylon inerme (white milkwood)	Kenya	A: reared material, fly ID confirmed
1	Sapotaceae / Mimusops obtusifolia (round-fruited red-milkwood)	Kenya	A: reared material, fly ID confirmed
1	Rutaceae / Murraya paniculata (orange jessamine)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
13	Sapotaceae / Sideroxylon inerme (white milkwood)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Tanzania	F: no host data, fly ID confirmed or considered reliable
1	Oleaceae / Olea woodiana (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Morocco	F: no host data, fly ID confirmed or considered reliable
3	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
4	Meliaceae / Ekebergia capensis (dog plum, Cape ash)	Kenya	A: reared material, fly ID confirmed
1	Passifloraceae / Passiflora caerulea (blue passion fruit)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
2	Sapotaceae / Manilkara sansibarensis (None)	Kenya	A: reared material, fly ID confirmed
40	N/A / (Unknown) (None)	Réunion	F: no host data, fly ID confirmed or considered reliable
2	Boraginaceae / Bourreria petiolaris (None)	Kenya	A: reared material, fly ID confirmed
20	Rutaceae / Murraya exotica (Chinese box)	Congo (D.R.)	D: associated material, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Sudan	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Rutaceae / Citrus sinensis (sweet orange)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
18	Rutaceae / Citrus limon (lemon)	Mozambique	D: associated material, fly ID confirmed or considered reliable
1	Myrtaceae / Psidium guajava (common guava)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	Ivory Coast	F: no host data, fly ID confirmed or considered reliable
21	Sapotaceae / Mimusops obtusifolia (round-fruited red-milkwood)	Kenya	A: reared material, fly ID confirmed
4	Solanaceae / Capsicum chinense (Habanero pepper)	Tanzania	B: reared material, fly ID unconfirmed but considered reliable

Number of specimens	Host	Country	Reliability
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Ivory Coast	F: no host data, fly ID confirmed or considered reliable
1	Myrtaceae / <i>Eugenia uniflora</i> (surinam cherry, pitanga cherry)	Mauritius	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
66	Rosaceae / <i>Eriobotrya japonica</i> (loquat)	Kenya	D: associated material, fly ID confirmed or considered reliable
1	Apocynaceae / <i>Acokanthera schimperi</i> (round-leaved poison bush)	Kenya	A: reared material, fly ID confirmed
1	Rutaceae / <i>Citrus aurantium</i> (sour orange)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	Anacardiaceae / <i>Harpephyllum caffrum</i> (kaffir plum, wild plum)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
7	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Rutaceae / <i>Vepris simplicifolia</i> (None)	Kenya	A: reared material, fly ID confirmed
3	Flagellariaceae / <i>Flagellaria guineensis</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Flacourtiaceae / <i>Dovyalis hebecarpa</i> (ceylon gooseberry)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	Solanaceae / <i>Capsicum frutescens</i> (tabasco pepper)	Tanzania	B: reared material, fly ID unconfirmed but considered reliable
1	Rubiaceae / <i>Polysphaeria parvifolia</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Apocynaceae / <i>Acokanthera cf oppositifolia</i> (None)	Kenya	A: reared material, fly ID confirmed
2	Simaroubaceae / <i>Harrisonia abyssinica</i> (None)	Kenya	A: reared material, fly ID confirmed
5	Rubiaceae / <i>Coffea arabica</i> (arabica coffee)	South Africa	A: reared material, fly ID confirmed
27	N/A / (Unknown) (None)	Portugal	F: no host data, fly ID confirmed or considered reliable
2	Simaroubaceae / <i>Harrisonia abyssinica</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Anacardiaceae / <i>Mangifera indica</i> (mango)	Uganda	D: associated material, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
1	Combretaceae / <i>Terminalia catappa</i> (tropical almond)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	Myrtaceae / <i>Psidium guajava</i> (common guava)	Eritrea	B: reared material, fly ID unconfirmed but considered reliable
1	Meliaceae / <i>Ekebergia capensis</i> (dog plum, Cape ash)	Kenya	A: reared material, fly ID confirmed
3	Myrtaceae / <i>Psidium guajava</i> (common guava)	Tanzania	D: associated material, fly ID confirmed or considered reliable

Number of specimens	Host	Country	Reliability
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
1	Opiliaceae / Pentarhopalopilium umbellulata (None)	Kenya	A: reared material, fly ID confirmed
1	Rubiaceae / Guettarda speciosa (None)	Kenya	A: reared material, fly ID confirmed
1	Rubiaceae / Coffea arabica (arabica coffee)	Tanzania	A: reared material, fly ID confirmed
8	Rosaceae / Eriobotrya japonica (loquat)	Kenya	A: reared material, fly ID confirmed
1	Rosaceae / Cydonia oblonga (quince)	Uganda	E: associated material, fly ID considered questionable
7	Rubiaceae / Coffea arabica (arabica coffee)	Kenya	D: associated material, fly ID confirmed or considered reliable
1	Cucurbitaceae / Corallocarpus ellipticus (None)	Kenya	A: reared material, fly ID confirmed
5	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Seychelles	F: no host data, fly ID confirmed or considered reliable
1	Sapindaceae / Filicium decipiens (fernleaf)	Kenya	A: reared material, fly ID confirmed
4	Rubiaceae / Coffea sp. (coffee)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Anacardiaceae / Anacardium occidentale (cashew nut)	Seychelles	B: reared material, fly ID unconfirmed but considered reliable
4	Apocynaceae / Carissa longiflora (None)	Kenya	A: reared material, fly ID confirmed
1	Rosaceae / Prunus persica (peach)	Uganda	E: associated material, fly ID considered questionable
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
4	N/A / (Unknown) (None)	Algeria	F: no host data, fly ID confirmed or considered reliable
1	Goodeniaceae / Scaevola plumieri (None)	Kenya	A: reared material, fly ID confirmed
2	N/A / (Unknown) (None)	Morocco	F: no host data, fly ID confirmed or considered reliable
1	Cucurbitaceae / Cucumis dipsaceus (teasel gourd)	Kenya	A: reared material, fly ID confirmed
1	Flagellariaceae / Flagellaria guineensis (None)	Kenya	A: reared material, fly ID confirmed
1	Rubiaceae / Polysphaeria parvifolia (None)	Kenya	A: reared material, fly ID confirmed
4	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
1	Rubiaceae / Lamprothamnus zanguebaricus (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Congo (D.R.)	F: no host data, fly ID confirmed or considered reliable
6	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
2	Sapotaceae / Mimusops obtusifolia (round-fruited red-milkwood)	Kenya	A: reared material, fly ID confirmed
1	Rubiaceae / Polysphaeria parvifolia (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Burkina Faso	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	St Helena	F: no host data, fly ID confirmed or considered reliable

Number of specimens	Host	Country	Reliability
1	Solanaceae / Lycium campanulatum (None)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
22	Simaroubaceae / Brucea antidysenterica (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Erythroxylaceae / Erythroxylon coca (None)	Ghana	D: associated material, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	St Helena	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Ethiopia	F: no host data, fly ID confirmed or considered reliable
1	Flacourtiaceae / Dovyalis caffra (kei apple)	Kenya	A: reared material, fly ID confirmed
1	Rubiaceae / Coffea arabica (arabica coffee)	Kenya	B: reared material, fly ID unconfirmed but considered reliable
1	Rutaceae / Citrus reticulata (tangerine)	Algeria	A: reared material, fly ID confirmed
1	Vitaceae / Vitis vinifera (grapes)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
21	Apocynaceae / Carissa edulis (egyptian carissa)	Kenya	A: reared material, fly ID confirmed
1	Rosaceae / Cydonia oblonga (quince)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	Moraceae / Antiaris toxicaria (antiaris, false iroko, false mvule)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Botswana	F: no host data, fly ID confirmed or considered reliable
4	N/A / (Unknown) (None)	Morocco	F: no host data, fly ID confirmed or considered reliable
1	Apocynaceae / Carissa edulis (egyptian carissa)	Kenya	A: reared material, fly ID confirmed
1	Meliaceae / Ekebergia capensis (dog plum, Cape ash)	Kenya	A: reared material, fly ID confirmed
1	Sapotaceae / Sideroxylon inerme (white milkwood)	Kenya	A: reared material, fly ID confirmed
4	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Tanzania	F: no host data, fly ID confirmed or considered reliable
1	Rosaceae / Prunus domestica (plum)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
9	N/A / (Unknown) (None)	Tanzania	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable
3	Apocynaceae / Carissa edulis (egyptian carissa)	Kenya	A: reared material, fly ID confirmed
97	N/A / (Unknown) (None)	Portugal	F: no host data, fly ID confirmed or considered reliable
2	Euphorbiaceae / Drypetes natalensis (None)	Kenya	A: reared material, fly ID confirmed
1	Flacourtiaceae / Dovyalis caffra (kei apple)	Kenya	C: reared material, fly ID considered questionable
1	Rubiaceae / Coffea canephora (robusta coffee)	Uganda	A: reared material, fly ID confirmed

Number of specimens	Host	Country	Reliability
1	Passifloraceae / <i>Passiflora suberosa</i> (None)	Mauritius	B: reared material, fly ID unconfirmed but considered reliable
1	Rubiaceae / <i>Coffea arabica</i> (arabica coffee)	Congo (D.R.)	D: associated material, fly ID confirmed or considered reliable
2	Boraginaceae / <i>Bouyeria petiolaris</i> (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
1	Sapotaceae / <i>Sideroxylon inerme</i> (white milkwood)	Kenya	A: reared material, fly ID confirmed
5	Rosaceae / <i>Prunus persica</i> (peach)	Lebanon	A: reared material, fly ID confirmed
1	Flagellariaceae / <i>Flagellaria guineensis</i> (None)	Kenya	A: reared material, fly ID confirmed
100	N/A / (Unknown) (None)	Portugal	F: no host data, fly ID confirmed or considered reliable
1	Celastraceae / <i>Mystroxydon aethiopicum</i> (None)	Kenya	A: reared material, fly ID confirmed
3	Simaroubaceae / <i>Harrisonia abyssinica</i> (None)	Kenya	A: reared material, fly ID confirmed
12	Rubiaceae / <i>Guettarda speciosa</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Rubiaceae / <i>Coffea</i> sp. (coffee)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Anacardiaceae / <i>Mangifera indica</i> (mango)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
2	Rutaceae / <i>Citrus</i> sp. (None)	South Africa	A: reared material, fly ID confirmed
2	Rubiaceae / <i>Coffea</i> sp. (coffee)	Yemen	D: associated material, fly ID confirmed or considered reliable
6	N/A / (Unknown) (None)	Mauritius	F: no host data, fly ID confirmed or considered reliable
1	Sapotaceae / <i>Mimusops obtusifolia</i> (round-fruited red-milkwood)	Kenya	A: reared material, fly ID confirmed
1	Solanaceae / <i>Solanum</i> sp. (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Ethiopia	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Mali	F: no host data, fly ID confirmed or considered reliable
1	Moraceae / <i>Antiaris toxicaria</i> (antiaris, false iroko, false mvule)	Kenya	A: reared material, fly ID confirmed
50	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Seychelles	F: no host data, fly ID confirmed or considered reliable
2	Myrtaceae / <i>Psidium cattleianum</i> (strawberry guava, cherry guava)	Tanzania	D: associated material, fly ID confirmed or considered reliable
4	Loganiaceae / <i>Strychnos</i> sp. (None)	Kenya	A: reared material, fly ID confirmed

Number of specimens	Host	Country	Reliability
1	N/A / (Unknown) (None)	Congo (D.R.)	F: no host data, fly ID confirmed or considered reliable
73	Rubiaceae / Guettarda speciosa (None)	Kenya	A: reared material, fly ID confirmed
1	Rutaceae / Vepris nobilis (None)	Kenya	A: reared material, fly ID confirmed
9	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Congo (D.R.)	F: no host data, fly ID confirmed or considered reliable
2	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
55	N/A / (Unknown) (None)	Azores	F: no host data, fly ID confirmed or considered reliable
1	Solanaceae / Capsicum chinense (Habanero pepper)	Tanzania	B: reared material, fly ID unconfirmed but considered reliable
1	Sapotaceae / Manilkara butugi (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Malawi	F: no host data, fly ID confirmed or considered reliable
17	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
3	Solanaceae / Solanum sp. (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
3	N/A / (Unknown) (None)	Kenya	F: no host data, fly ID confirmed or considered reliable
1	Rubiaceae / Coffea sp. (coffee)	Kenya	A: reared material, fly ID confirmed
34	N/A / (Unknown) (None)	Tanzania	F: no host data, fly ID confirmed or considered reliable
25	Rutaceae / Vepris simplicifolia (None)	Kenya	A: reared material, fly ID confirmed
1	Fabaceae / Gliricidia maculata (None)	Nigeria	D: associated material, fly ID confirmed or considered reliable
1	Oxalidaceae / Averrhoa carambola (carambola/starfruit)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
58	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
10	N/A / (Unknown) (None)	Sudan	F: no host data, fly ID confirmed or considered reliable
2	Loganiaceae / Strychnos henningsii (None)	Kenya	A: reared material, fly ID confirmed
2	Euphorbiaceae / Flueggea virosa (None)	Kenya	A: reared material, fly ID confirmed
1	Sapotaceae / Mimusops caffra (coast red-milkwood)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
2	Rutaceae / Triphasia sp. (None)	Congo (D.R.)	A: reared material, fly ID confirmed
1	Sapotaceae / Mimusops bagshawei (None)	Kenya	A: reared material, fly ID confirmed
56	N/A / (Unknown) (None)	Ivory Coast	F: no host data, fly ID confirmed or considered reliable
13	Solanaceae / Solanum seaforthianum (None)	Kenya	A: reared material, fly ID confirmed
1	Simaroubaceae / Harrisonia abyssinica (None)	Kenya	A: reared material, fly ID confirmed

Number of specimens	Host	Country	Reliability
1	Rosaceae / <i>Prunus persica</i> (peach)	Mauritius	B: reared material, fly ID unconfirmed but considered reliable
20	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Rubiaceae / <i>Polysphaeria parvifolia</i> (None)	Kenya	A: reared material, fly ID confirmed
9	Rosaceae / <i>Eriobotrya japonica</i> (loquat)	South Africa	A: reared material, fly ID confirmed
1	Vitaceae / <i>Vitis vinifera</i> (grapes)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	Sapotaceae / <i>Sideroxylon inerme</i> (white milkwood)	Kenya	A: reared material, fly ID confirmed
20	Rubiaceae / <i>Coffea</i> sp. (coffee)	Kenya	A: reared material, fly ID confirmed
1	Rutaceae / <i>Murraya paniculata</i> (orange jessamine)	Mauritius	B: reared material, fly ID unconfirmed but considered reliable
1	Rubiaceae / <i>Coffea arabica</i> (arabica coffee)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	Boraginaceae / <i>Bouyeria petiolaris</i> (None)	Kenya	A: reared material, fly ID confirmed
4	Capparaceae / <i>Maerua duchesnei</i> (None)	Benin	A: reared material, fly ID confirmed
3	Euphorbiaceae / <i>Drypetes natalensis</i> var. <i>leiogyna</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Ebenaceae / <i>Euclea divinorum</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Myrtaceae / <i>Syzygium cumini</i> (Java plum)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	Flacourtiaceae / <i>Flacourtia indica</i> (governor's plum)	Kenya	A: reared material, fly ID confirmed
4	Simaroubaceae / <i>Harrisonia abyssinica</i> (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
1	Sapotaceae / <i>Manilkara sansibarensis</i> (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Congo (D.R.)	F: no host data, fly ID confirmed or considered reliable
30	N/A / (Unknown) (None)	Sudan	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
3	Rubiaceae / <i>Coffea</i> sp. (coffee)	Kenya	A: reared material, fly ID confirmed
1	Anacardiaceae / <i>Mangifera indica</i> (mango)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	Yemen	B: reared material, fly ID unconfirmed but considered reliable
4	Sapotaceae / <i>Manilkara sansibarensis</i> (None)	Kenya	A: reared material, fly ID confirmed
3	Celastraceae / <i>Mystroxydon aethiopicum</i> (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Réunion	F: no host data, fly ID confirmed or considered reliable

Number of specimens	Host	Country	Reliability
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Nigeria	F: no host data, fly ID confirmed or considered reliable
1	Celastraceae / <i>Salacia elegans</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Rubiaceae / <i>Lamprothamnus zanguebaricus</i> (None)	Kenya	A: reared material, fly ID confirmed
2	Simaroubaceae / <i>Harrisonia abyssinica</i> (None)	Kenya	A: reared material, fly ID confirmed
24	Solanaceae / <i>Solanum seaforthianum</i> (None)	Kenya	A: reared material, fly ID confirmed
21	Anacardiaceae / <i>Mangifera indica</i> (mango)	Comoro Is	D: associated material, fly ID confirmed or considered reliable
7	Rosaceae / <i>Eriobotrya japonica</i> (loquat)	Kenya	A: reared material, fly ID confirmed
1	Loganiaceae / <i>Strychnos henningsii</i> (None)	Kenya	A: reared material, fly ID confirmed
15	Sapotaceae / <i>Mimusops obtusifolia</i> (round-fruited red-milkwood)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Ethiopia	F: no host data, fly ID confirmed or considered reliable
1	Apocynaceae / <i>Carissa tetramera</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Sapotaceae / <i>Mimusops</i> sp. (milkwood)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
2	Simaroubaceae / <i>Harrisonia abyssinica</i> (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Senegal	F: no host data, fly ID confirmed or considered reliable
2	Loganiaceae / <i>Strychnos henningsii</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Sapotaceae / <i>Manilkara sansibarensis</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Rutaceae / <i>Vepris simplicifolia</i> (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Togo	F: no host data, fly ID confirmed or considered reliable
1	Meliaceae / <i>Ekebergia capensis</i> (dog plum, Cape ash)	Kenya	A: reared material, fly ID confirmed
1	Rutaceae / <i>Citrus aurantium</i> (sour orange)	Seychelles	B: reared material, fly ID unconfirmed but considered reliable
8	N/A / (Unknown) (None)	Kenya	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
1	Rubiaceae / <i>Coffea</i> sp. (coffee)	Benin	A: reared material, fly ID confirmed
13	Rutaceae / <i>Vepris simplicifolia</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Myrtaceae / <i>Psidium guajava</i> (common guava)	Burundi	D: associated material, fly ID confirmed or considered reliable
6	Berberidaceae / <i>Berberis holstii</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Apocynaceae / <i>Acokanthera schimperi</i> (round-leaved poison bush)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Togo	F: no host data, fly ID confirmed or considered reliable
50	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable

Number of specimens	Host	Country	Reliability
1	Ebenaceae / Diospyros pubescens (None)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	Rutaceae / Vepris simplicifolia (None)	Kenya	A: reared material, fly ID confirmed
1	Rubiaceae / Lamprothamnus zanguebaricus (None)	Kenya	A: reared material, fly ID confirmed
1	Loganiaceae / Strychnos henningsii (None)	Kenya	A: reared material, fly ID confirmed
88	N/A / (Unknown) (None)	Namibia	F: no host data, fly ID confirmed or considered reliable
1	Opiliaceae / Opilia amentacea (None)	Kenya	A: reared material, fly ID confirmed
2	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
1	Solanaceae / Solanum macrocarpon (None)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	Solanaceae / Solanum sp. (None)	Kenya	A: reared material, fly ID confirmed
13	Solanaceae / Capsicum annuum (bell pepper, capsicum)	Benin	A: reared material, fly ID confirmed
1	Solanaceae / Capsicum frutescens (tabasco pepper)	Reunion	A: reared material, fly ID confirmed
609	Sapotaceae / Manilkara sansibarensis (None)	Kenya	A: reared material, fly ID confirmed
4	N/A / (Unknown) (None)	Comoro Is	F: no host data, fly ID confirmed or considered reliable
1	Rutaceae / Vepris simplicifolia (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Ivory Coast	F: no host data, fly ID confirmed or considered reliable
1	Ebenaceae / Diospyros abyssinica (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Tanzania	F: no host data, fly ID confirmed or considered reliable
1	Rutaceae / Citrus sinensis (sweet orange)	Egypt	A: reared material, fly ID confirmed
2	Rutaceae / Clausena anisata (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Sapotaceae / Chrysophyllum viridifolium (None)	Kenya	A: reared material, fly ID confirmed
2	Solanaceae / Capsicum sp. (None)	South Africa	A: reared material, fly ID confirmed
1	Solanaceae / Capsicum annuum (bell pepper, capsicum)	Tanzania	B: reared material, fly ID unconfirmed but considered reliable
1	Anacardiaceae / Harpephyllum caffrum (kaffir plum, wild plum)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
17	Simaroubaceae / Brucea antidysenterica (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Ivory Coast	F: no host data, fly ID confirmed or considered reliable
3	Rutaceae / Murraya exotica (Chinese box)	Congo (D.R.)	A: reared material, fly ID confirmed
1	Ebenaceae / Euclea divinorum (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Réunion	F: no host data, fly ID confirmed or considered reliable

Number of specimens	Host	Country	Reliability
1	Lauraceae / Cinnamomum verum (cinnamon)	Seychelles	B: reared material, fly ID unconfirmed but considered reliable
2	Sapotaceae / Mimusops obtusifolia (round-fruited red-milkwood)	Kenya	A: reared material, fly ID confirmed
1	Euphorbiaceae / Flueggea virosa (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Rubiaceae / Vangueria infausta (mispel, wild medlar)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	Mauritius	F: no host data, fly ID confirmed or considered reliable
1	Rutaceae / Casimiroa edulis (white sapote)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Burkina Faso	F: no host data, fly ID confirmed or considered reliable
1	Rubiaceae / Coffea sp. (coffee)	Kenya	A: reared material, fly ID confirmed
6	N/A / (Unknown) (None)	Uganda	F: no host data, fly ID confirmed or considered reliable
50	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable
1	Rutaceae / Murraya paniculata (orange jessamine)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
3	Rubiaceae / Vangueria sp. (None)	Kenya	A: reared material, fly ID confirmed
3	Flagellariaceae / Flagellaria guineensis (None)	Kenya	A: reared material, fly ID confirmed
1	Anacardiaceae / Mangifera indica (mango)	Guinea	D: associated material, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Namibia	D: associated material, fly ID confirmed or considered reliable
4	Apocynaceae / Acokanthera schimperi (round-leaved poison bush)	Kenya	A: reared material, fly ID confirmed
1	Apocynaceae / Carissa carandas (None)	Mauritius	B: reared material, fly ID unconfirmed but considered reliable
34	Simaroubaceae / Brucea sp. (None)	Congo (D.R.)	A: reared material, fly ID confirmed
25	N/A / (Unknown) (None)	Senegal	F: no host data, fly ID confirmed or considered reliable
1	Ebenaceae / Diospyros mespiliformis (None)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	Myrtaceae / Psidium guajava (common guava)	Mauritius	B: reared material, fly ID unconfirmed but considered reliable
1	Oxalidaceae / Averrhoa bilimbi (cucumber tree, pickle fruit)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	St Helena	F: no host data, fly ID confirmed or considered reliable
1	Anacardiaceae / Mangifera indica (mango)	Tanzania	B: reared material, fly ID unconfirmed but considered reliable
109	N/A / (Unknown) (None)	Kenya	A: reared material, fly ID confirmed

Number of specimens	Host	Country	Reliability
4	Rubiaceae / Guettarda speciosa (None)	Kenya	A: reared material, fly ID confirmed
10	N/A / (Unknown) (None)	Seychelles	F: no host data, fly ID confirmed or considered reliable
1	Sapotaceae / Sideroxylon inerme (white milkwood)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	Solanaceae / Solanum sp. (None)	Kenya	A: reared material, fly ID confirmed
1	Celastraceae / Salacia elegans (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Réunion	F: no host data, fly ID confirmed or considered reliable
1	Celastraceae / Mystroxydon aethiopicum (None)	Kenya	A: reared material, fly ID confirmed
2	N/A / (Unknown) (None)	Seychelles	F: no host data, fly ID confirmed or considered reliable
60	N/A / (Unknown) (None)	Ivory Coast	F: no host data, fly ID confirmed or considered reliable
1	Rubiaceae / Polysphaeria parvifolia (None)	Kenya	A: reared material, fly ID confirmed
9	N/A / (Unknown) (None)	Burundi	F: no host data, fly ID confirmed or considered reliable
1	Passifloraceae / Passiflora sp. (None)	Kenya	A: reared material, fly ID confirmed
1	Loganiaceae / Strychnos henningsii (None)	Kenya	A: reared material, fly ID confirmed
98	N/A / (Unknown) (None)	Tanzania	F: no host data, fly ID confirmed or considered reliable
1	Solanaceae / Solanum sp. (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Swaziland	F: no host data, fly ID confirmed or considered reliable
1	Anacardiaceae / Mangifera indica (mango)	Tanzania	D: associated material, fly ID confirmed or considered reliable
76	N/A / (Unknown) (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Morocco	F: no host data, fly ID confirmed or considered reliable
47	N/A / (Unknown) (None)	Congo (D.R.)	F: no host data, fly ID confirmed or considered reliable
1	Annonaceae / Cananga odorata (ylang-ylang)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
940	Goodeniaceae / Scaevola plumieri (None)	Kenya	A: reared material, fly ID confirmed
31	Solanaceae / Solanum seaforthianum (None)	Ghana	D: associated material, fly ID confirmed or considered reliable
1	Sterculiaceae / Cola natalensis (None)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
7	N/A / (Unknown) (None)	Congo (D.R.)	F: no host data, fly ID confirmed or considered reliable
1	Rubiaceae / Coffea arabica (arabica coffee)	Tanzania	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Seychelles	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Congo (D.R.)	F: no host data, fly ID confirmed or considered reliable
2	N/A / (Unknown) (None)	Madagascar	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable

Number of specimens	Host	Country	Reliability
20	Anacardiaceae / Harpephyllum caffrum (kaffir plum, wild plum)	South Africa	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Ivory Coast	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Uganda	F: no host data, fly ID confirmed or considered reliable
2	N/A / (Unknown) (None)	Morocoo	F: no host data, fly ID confirmed or considered reliable
111	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
1	Apocynaceae / Carissa tetramera (None)	Kenya	A: reared material, fly ID confirmed
1	Euphorbiaceae / Flueggea virosa (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Congo (D.R.)	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Morocco	F: no host data, fly ID confirmed or considered reliable
2	Rubiaceae / Polysphaeria parvifolia (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Myrtaceae / Psidium guajava (common guava)	Eritrea	B: reared material, fly ID unconfirmed but considered reliable
17	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
50	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable
1	Sapotaceae / Mimusops kummel (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Kenya	F: no host data, fly ID confirmed or considered reliable
24	N/A / (Unknown) (None)	Madagascar	F: no host data, fly ID confirmed or considered reliable
4	Sapotaceae / Mimusops obtusifolia (round-fruited red-milkwood)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Eritrea	F: no host data, fly ID confirmed or considered reliable
1	Solanaceae / Solanum sp. (None)	Kenya	A: reared material, fly ID confirmed
1	Goodeniaceae / Scaevola plumieri (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Tanzania	F: no host data, fly ID confirmed or considered reliable
1	Rubiaceae / Coffea arabica (arabica coffee)	Kenya	A: reared material, fly ID confirmed
1	Euphorbiaceae / Drypetes gerrardii (None)	Kenya	A: reared material, fly ID confirmed
1	Myrtaceae / Psidium cattleianum (strawberry guava, cherry guava)	Mauritius	B: reared material, fly ID unconfirmed but considered reliable
5	Sapotaceae / Mimusops obtusifolia (round-fruited red-milkwood)	Kenya	A: reared material, fly ID confirmed
16	Rutaceae / Vepris simplicifolia (None)	Kenya	A: reared material, fly ID confirmed
1	Rutaceae / Citrus aurantium (sour orange)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	Solanaceae / Capsicum frutescens (tabasco pepper)	Seychelles	D: associated material, fly ID confirmed or considered reliable

Number of specimens	Host	Country	Reliability
4	N/A / (Unknown) (None)	Togo	F: no host data, fly ID confirmed or considered reliable
1	Anacardiaceae / <i>Mangifera indica</i> (mango)	Seychelles	B: reared material, fly ID unconfirmed but considered reliable
2	Euphorbiaceae / <i>Flueggea virosa</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Chrysobalanaceae / <i>Chrysobalanus icaco</i> (coco plum, fat-pork)	Seychelles	B: reared material, fly ID unconfirmed but considered reliable
1	Rosaceae / <i>Prunus armeniaca</i> (apricot)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
10	N/A / (Unknown) (None)	Cameroon	F: no host data, fly ID confirmed or considered reliable
1	Goodeniaceae / <i>Scaevola plumieri</i> (None)	Kenya	A: reared material, fly ID confirmed
9	N/A / (Unknown) (None)	Iran	F: no host data, fly ID confirmed or considered reliable
4	Rosaceae / <i>Prunus persica</i> (peach)	St Helena	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Botswana	F: no host data, fly ID confirmed or considered reliable
1	Ebenaceae / <i>Diospyros pallens</i> (None)	Zimbabwe	B: reared material, fly ID unconfirmed but considered reliable
1	Rutaceae / <i>Vepris nobilis</i> (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Celastraceae / <i>Salacia elegans</i> (None)	Kenya	A: reared material, fly ID confirmed
2	Sapotaceae / <i>Manilkara sansibarensis</i> (None)	Kenya	A: reared material, fly ID confirmed
8	N/A / (Unknown) (None)	Kenya	F: no host data, fly ID confirmed or considered reliable
1	Rubiaceae / <i>Coffea</i> sp. (coffee)	Kenya	D: associated material, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Togo	F: no host data, fly ID confirmed or considered reliable
1	Meliaceae / <i>Sandoricum koetjape</i> (None)	Seychelles	B: reared material, fly ID unconfirmed but considered reliable
1	Solanaceae / <i>Capsicum annuum</i> (bell pepper, capsicum)	Ghana	A: reared material, fly ID confirmed
1	Annonaceae / <i>Monodora grandidieri</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Sapotaceae / <i>Sideroxylon inerme</i> (white milkwood)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
2	Rutaceae / <i>Citrus reticulata</i> (tangerine)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
7	N/A / (Unknown) (None)	Zambia	F: no host data, fly ID confirmed or considered reliable
2	Rutaceae / <i>Murraya exotica</i> (Chinese box)	Congo (D.R.)	A: reared material, fly ID confirmed
5	Simaroubaceae / <i>Brucea antidysenterica</i> (None)	Kenya	A: reared material, fly ID confirmed
3	N/A / (Unknown) (None)	Morocco	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable

Number of specimens	Host	Country	Reliability
51	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Eritrea	F: no host data, fly ID confirmed or considered reliable
25	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
3	Myrtaceae / Psidium cattleianum (strawberry guava, cherry guava)	Tanzania	A: reared material, fly ID confirmed
1	Flacourtiaceae / Ludia mauritiana (None)	Kenya	A: reared material, fly ID confirmed
7	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
8	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Seychelles	F: no host data, fly ID confirmed or considered reliable
1	Boraginaceae / Bourreria petiolaris (None)	Kenya	A: reared material, fly ID confirmed
2	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Rosaceae / Eriobotrya japonica (loquat)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	Solanaceae / Solanum seaforthianum (None)	Kenya	A: reared material, fly ID confirmed
1	Sapotaceae / Synsepalum dulcificum (miraculous fruit)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
2	Myrtaceae / Psidium guajava (common guava)	Tanzania	D: associated material, fly ID confirmed or considered reliable
1	Flacourtiaceae / Dovyalis caffra (kei apple)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	Sapotaceae / Chrysophyllum cainito (common star-apple)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
84	Ebenaceae / Diospyros abyssinica (None)	Kenya	A: reared material, fly ID confirmed
100	N/A / (Unknown) (None)	Kenya	F: no host data, fly ID confirmed or considered reliable
300	Rubiaceae / Coffea sp. (coffee)	Kenya	D: associated material, fly ID confirmed or considered reliable
8	N/A / (Unknown) (None)	Madagascar	F: no host data, fly ID confirmed or considered reliable
1	Rutaceae / Citrus sinensis (sweet orange)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
18	N/A / (Unknown) (None)	Kenya	A: reared material, fly ID confirmed
1	Rutaceae / Vepris simplicifolia (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
20	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
5	N/A / (Unknown) (None)	Morocco	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	St Helena	F: no host data, fly ID confirmed or considered reliable
3	N/A / (Unknown) (None)	Togo	F: no host data, fly ID confirmed or considered reliable

Number of specimens	Host	Country	Reliability
62	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
1	Anacardiaceae / Mangifera indica (mango)	Uganda	D: associated material, fly ID confirmed or considered reliable
27	N/A / (Unknown) (None)	Ethiopia	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
1	Sapotaceae / Richardella campechiana (ties, egg fruit)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
3	Rubiaceae / Coffea sp. (coffee)	Kenya	A: reared material, fly ID confirmed
1	Anacardiaceae / Mangifera indica (mango)	Guinea	D: associated material, fly ID confirmed or considered reliable
17	N/A / (Unknown) (None)	Senegal	F: no host data, fly ID confirmed or considered reliable
17	N/A / (Unknown) (None)	Tunisia	F: no host data, fly ID confirmed or considered reliable
50	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable
1	Anacardiaceae / Mangifera indica (mango)	Guinea	A: reared material, fly ID confirmed
8	N/A / (Unknown) (None)	Botswana	F: no host data, fly ID confirmed or considered reliable
1	Myrtaceae / Psidium guajava (common guava)	Tanzania	A: reared material, fly ID confirmed
1	Sapotaceae / Manilkara sulcata (None)	Kenya	A: reared material, fly ID confirmed
30	Annonaceae / Annona reticulata (custard apple)	Ghana	D: associated material, fly ID confirmed or considered reliable
1	Rosaceae / Eriobotrya japonica (loquat)	Mauritius	B: reared material, fly ID unconfirmed but considered reliable
4	Rubiaceae / Coffea sp. (coffee)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Egypt	F: no host data, fly ID confirmed or considered reliable
1	Sapotaceae / Manilkara butugi (None)	Kenya	A: reared material, fly ID confirmed
4	Sapotaceae / Mimusops obtusifolia (round-fruited red-milkwood)	Kenya	A: reared material, fly ID confirmed
2	Rutaceae / Citrus sinensis (sweet orange)	Canary Is	D: associated material, fly ID confirmed or considered reliable
50	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable
98	Apocynaceae / Carissa edulis (egyptian carissa)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Burundi	F: no host data, fly ID confirmed or considered reliable
1	Sapotaceae / Sideroxylon inerme (white milkwood)	Kenya	A: reared material, fly ID confirmed
50	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable
11	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable

Number of specimens	Host	Country	Reliability
7	Anacardiaceae / <i>Mangifera indica</i> (mango)	Ghana	D: associated material, fly ID confirmed or considered reliable
1	Rutaceae / <i>Citrus aurantium</i> (sour orange)	Tanzania	D: associated material, fly ID confirmed or considered reliable
1	Rubiaceae / <i>Coffea</i> sp. (coffee)	South Africa	A: reared material, fly ID confirmed
351	N/A / (Unknown) (None)	Congo (D.R.)	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Senegal	F: no host data, fly ID confirmed or considered reliable
53	Apocynaceae / <i>Acokanthera</i> sp. (poison bush)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Tanzania	F: no host data, fly ID confirmed or considered reliable
1	Euphorbiaceae / <i>Drypetes natalensis</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Rubiaceae / <i>Coffea arabica</i> (arabica coffee)	Tanzania	A: reared material, fly ID confirmed
5	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
14	N/A / (Unknown) (None)	Ethiopia	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable
1	Rutaceae / <i>Vepris simplicifolia</i> (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Gabon	F: no host data, fly ID confirmed or considered reliable
7	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Olacaceae / <i>Ximenia americana</i> var. <i>caffra</i> (None)	Kenya	A: reared material, fly ID confirmed
2	Solanaceae / <i>Solanum</i> sp. (None)	Kenya	A: reared material, fly ID confirmed
1	Solanaceae / <i>Solanum mauritianum</i> (bugtree)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	Solanaceae / <i>Capsicum annuum</i> (bell pepper, capsicum)	Mauritius	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
2	N/A / (Unknown) (None)	Uganda	F: no host data, fly ID confirmed or considered reliable
62	N/A / (Unknown) (None)	Tanzania	D: associated material, fly ID confirmed or considered reliable
5	Sapindaceae / <i>Filicium decipiens</i> (fernleaf)	Kenya	A: reared material, fly ID confirmed
1	Solanaceae / <i>Solanum melongena</i> (aubergine)	Ivory Coast	D: associated material, fly ID confirmed or considered reliable
25	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Euphorbiaceae / <i>Drypetes gerrardii</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Annonaceae / <i>Monodora grandidieri</i> (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable

Number of specimens	Host	Country	Reliability
5	Salvadoraceae / Azima tetracantha (None)	Kenya	A: reared material, fly ID confirmed
1	Sapotaceae / Manilkara sansibarensis (None)	Kenya	A: reared material, fly ID confirmed
7	N/A / (Unknown) (None)	Morocco	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Congo (D.R.)	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
3	N/A / (Unknown) (None)	Seychelles	F: no host data, fly ID confirmed or considered reliable
1	Rutaceae / Clausena anisata (None)	Kenya	A: reared material, fly ID confirmed
1	Sapotaceae / Manilkara sansibarensis (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Sapotaceae / Manilkara zapota (sapodilla, chicle)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
2	Myrtaceae / Psidium guajava (common guava)	Kenya	D: associated material, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Nigeria	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Morocco	F: no host data, fly ID confirmed or considered reliable
1	Rutaceae / Citrus limon (lemon)	Kenya	A: reared material, fly ID confirmed
1	Sapotaceae / Manilkara butugi (None)	Kenya	A: reared material, fly ID confirmed
1	Combretaceae / Terminalia catappa (tropical almond)	Mauritius	B: reared material, fly ID unconfirmed but considered reliable
27	N/A / (Unknown) (None)	Burundi	F: no host data, fly ID confirmed or considered reliable
6	Rutaceae / Atalantia sp. (None)	Congo (D.R.)	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Ethiopia	F: no host data, fly ID confirmed or considered reliable
58	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
31	Meliaceae / Ekebergia capensis (dog plum, Cape ash)	Kenya	A: reared material, fly ID confirmed
1	Opiliaceae / Opilia amentacea (None)	Kenya	A: reared material, fly ID confirmed
10	N/A / (Unknown) (None)	Zambia	F: no host data, fly ID confirmed or considered reliable
1	Sapotaceae / Manilkara sansibarensis (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
446	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Sapotaceae / Chrysophyllum viridifolium (None)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	Anacardiaceae / Mangifera indica (mango)	Burundi	D: associated material, fly ID confirmed or considered reliable

Number of specimens	Host	Country	Reliability
2	Clusiaceae / <i>Garcinia mangostana</i> (mangosteen)	Burundi	D: associated material, fly ID confirmed or considered reliable
1	Loganiaceae / <i>Strychnos henningsii</i> (None)	Kenya	C: reared material, fly ID considered questionable
2	Cucurbitaceae / <i>Corallocarpus ellipticus</i> (None)	Kenya	A: reared material, fly ID confirmed
2	Rutaceae / <i>Citrus</i> sp. (None)	Seychelles	D: associated material, fly ID confirmed or considered reliable
98	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Clusiaceae / <i>Calophyllum tacamahaca</i> (None)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	Anacardiaceae / <i>Mangifera indica</i> (mango)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	Rutaceae / <i>Vepris simplicifolia</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Rosaceae / <i>Prunus persica</i> (peach)	St Helena	D: associated material, fly ID confirmed or considered reliable
2	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable
1	Rosaceae / <i>Prunus persica</i> (peach)	Zimbabwe	B: reared material, fly ID unconfirmed but considered reliable
1	Apocynaceae / <i>Carissa tetramera</i> (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
1	Myrtaceae / <i>Acca sellowiana</i> (pineapple guava)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	Annonaceae / <i>Annona reticulata</i> (custard apple)	Seychelles	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Simaroubaceae / <i>Harrisonia abyssinica</i> (None)	Kenya	A: reared material, fly ID confirmed
9	Sapotaceae / <i>Pouteria alnifolia</i> (None)	Togo	F: no host data, fly ID confirmed or considered reliable
1	Sapotaceae / <i>Sideroxylon inerme</i> (white milkwood)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	Annonaceae / <i>Artabotrys monteiroae</i> (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Mauritius	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Flacourtiaceae / <i>Dovyalis caffra</i> (kei apple)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	Congo (D.R.)	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Kenya	F: no host data, fly ID confirmed or considered reliable
54	Meliaceae / <i>Ekebergia capensis</i> (dog plum, Cape ash)	Kenya	A: reared material, fly ID confirmed
1	Myrtaceae / <i>Psidium cattleianum</i> (strawberry guava, cherry guava)	Seychelles	B: reared material, fly ID unconfirmed but considered reliable

Number of specimens	Host	Country	Reliability
2	Sapotaceae / <i>Manilkara sulcata</i> (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Sapotaceae / <i>Mimusops obtusifolia</i> (round-fruited red-milkwood)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable
34	N/A / (Unknown) (None)	Burundi	F: no host data, fly ID confirmed or considered reliable
36	Rubiaceae / <i>Guettarda speciosa</i> (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Rubiaceae / <i>Coffea</i> sp. (coffee)	Kenya	B: reared material, fly ID unconfirmed but considered reliable
1	Rosaceae / <i>Prunus</i> sp. cf <i>capuli</i> (None)	Kenya	A: reared material, fly ID confirmed
100	N/A / (Unknown) (None)	Spain	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
1	Solanaceae / <i>Solanum</i> sp. (None)	Ghana	A: reared material, fly ID confirmed
1	Anacardiaceae / <i>Harpephyllum caffrum</i> (kaffir plum, wild plum)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	Oleaceae / <i>Olea woodiana</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Sapotaceae / <i>Chrysophyllum argyrophyllum</i> (None)	Zimbabwe	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	Botswana	F: no host data, fly ID confirmed or considered reliable
1	Goodeniaceae / <i>Scaevola taccada</i> (None)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	Myrtaceae / <i>Syzygium samarangense</i> (java apple)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	Sapotaceae / <i>Mimusops obtusifolia</i> (round-fruited red-milkwood)	Kenya	A: reared material, fly ID confirmed
1	Sapotaceae / <i>Mimusops zeyheri</i> (None)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
57	N/A / (Unknown) (None)	Morocco	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Kenya	F: no host data, fly ID confirmed or considered reliable
1	Boraginaceae / <i>Bourreria petiolaris</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Sapotaceae / <i>Mimusops</i> sp. (milkwood)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	Loganiaceae / <i>Strychnos potatorum</i> (None)	Zambia	D: associated material, fly ID confirmed or considered reliable
1	Myrtaceae / <i>Psidium guajava</i> (common guava)	Benin	B: reared material, fly ID unconfirmed but considered reliable
2	Euphorbiaceae / <i>Antidesma venosum</i> (None)	Kenya	A: reared material, fly ID confirmed

Number of specimens	Host	Country	Reliability
1	Solanaceae / Solanum nigrum (black nightshade)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
15	Sapotaceae / Sideroxylon inerme (white milkwood)	South Africa	A: reared material, fly ID confirmed
1	Solanaceae / Capsicum frutescens (tabasco pepper)	Benin	B: reared material, fly ID unconfirmed but considered reliable
1	Meliaceae / Ekebergia capensis (dog plum, Cape ash)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	Kenya	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Anacardiaceae / Mangifera indica (mango)	Guinea	A: reared material, fly ID confirmed
2	Goodeniaceae / Scaevola plumieri (None)	Kenya	A: reared material, fly ID confirmed
1	Sapotaceae / Chrysophyllum viridifolium (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Rosaceae / Pyrus communis (pear)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
6	N/A / (Unknown) (None)	Congo (D.R.)	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Ivory Coast	F: no host data, fly ID confirmed or considered reliable
4	Rutaceae / Atalantia sp. (None)	Congo (D.R.)	A: reared material, fly ID confirmed
2	N/A / (Unknown) (None)	Botswana	F: no host data, fly ID confirmed or considered reliable
1	Rubiaceae / Coffea sp. (coffee)	Kenya	A: reared material, fly ID confirmed
300	Rubiaceae / Coffea sp. (coffee)	Kenya	D: associated material, fly ID confirmed or considered reliable
5	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
50	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable
1	Combretaceae / Terminalia catappa (tropical almond)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	Solanaceae / Lycium sp. (None)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	Ethiopia	F: no host data, fly ID confirmed or considered reliable
1	Vitaceae / Vitis vinifera (grapes)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
28	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
81	Rutaceae / Citrus limon (lemon)	Mozambique	D: associated material, fly ID confirmed or considered reliable
1	Rutaceae / Vepris lanceolata (None)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	Ebenaceae / Diospyros abyssinica (None)	Kenya	A: reared material, fly ID confirmed

Number of specimens	Host	Country	Reliability
1	Sapotaceae / Mimusops sp. (milkwood)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	Simaroubaceae / Harrisonia abyssinica (None)	Kenya	A: reared material, fly ID confirmed
1	Euphorbiaceae / Drypetes gerrardii (None)	Kenya	A: reared material, fly ID confirmed
1	Rutaceae / Citrus sp. (None)	Egypt	A: reared material, fly ID confirmed
1	Loganiaceae / Strychnos pungens (wild orange, monkey orange)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	Yemen	F: no host data, fly ID confirmed or considered reliable
1	Rutaceae / Citrus sp. (None)	South Africa	D: associated material, fly ID confirmed or considered reliable
14	Rubiaceae / Coffea sp. (coffee)	Kenya	D: associated material, fly ID confirmed or considered reliable
2	Simaroubaceae / Harrisonia abyssinica (None)	Kenya	A: reared material, fly ID confirmed
1	Sapotaceae / Sideroxylon inerme (white milkwood)	Kenya	A: reared material, fly ID confirmed
16	N/A / (Unknown) (None)	Morocco	F: no host data, fly ID confirmed or considered reliable
2	Loganiaceae / Strychnos potatorum (None)	Zambia	A: reared material, fly ID confirmed
2	Rutaceae / Vepris trichocarpa (None)	Kenya	A: reared material, fly ID confirmed
60	N/A / (Unknown) (None)	Malawi	F: no host data, fly ID confirmed or considered reliable
1	Sapotaceae / Mimusops obtusifolia (round-fruited red-milkwood)	Kenya	A: reared material, fly ID confirmed
1	Loganiaceae / Strychnos henningsii (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Lesotho	F: no host data, fly ID confirmed or considered reliable
2	N/A / (Unknown) (None)	Uganda	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
3	Rubiaceae / Coffea arabica (arabica coffee)	Eritrea	A: reared material, fly ID confirmed
1	Ebenaceae / Euclea divinorum (None)	Kenya	A: reared material, fly ID confirmed
38	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable
1	Myrtaceae / Psidium guajava (common guava)	Eritrea	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Myrtaceae / Eugenia uniflora (surinam cherry, pitanga cherry)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	Anacardiaceae / Mangifera indica (mango)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	Egypt	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Burkina Faso	F: no host data, fly ID confirmed or considered reliable

Number of specimens	Host	Country	Reliability
1	Sapotaceae / <i>Chrysophyllum carpussum</i> (None)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	Tanzania	F: no host data, fly ID confirmed or considered reliable
22	Capparaceae / <i>Capparis</i> sp. (None)	Kenya	A: reared material, fly ID confirmed
1	Anacardiaceae / <i>Mangifera indica</i> (mango)	Benin	B: reared material, fly ID unconfirmed but considered reliable
16	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable
1	Combretaceae / <i>Terminalia catappa</i> (tropical almond)	Seychelles	B: reared material, fly ID unconfirmed but considered reliable
1	Flacourtiaceae / <i>Ludia mauritiana</i> (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Tanzania	F: no host data, fly ID confirmed or considered reliable
1	Passifloraceae / <i>Passiflora edulis</i> (granadilla)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
6	Rubiaceae / <i>Coffea arabica</i> (arabica coffee)	Kenya	D: associated material, fly ID confirmed or considered reliable
12	N/A / (Unknown) (None)	Kenya	A: reared material, fly ID confirmed
33	N/A / (Unknown) (None)	Tanzania	D: associated material, fly ID confirmed or considered reliable
1	Rosaceae / <i>Eriobotrya japonica</i> (loquat)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
3	Sapotaceae / <i>Sideroxylon inerme</i> (white milkwood)	Kenya	A: reared material, fly ID confirmed
6	Solanaceae / <i>Capsicum frutescens</i> (tabasco pepper)	Seychelles	D: associated material, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
2	Goodeniaceae / <i>Scaevola plumieri</i> (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Rutaceae / <i>Citrus sinensis</i> (sweet orange)	Ivory Coast	B: reared material, fly ID unconfirmed but considered reliable
6	N/A / (Unknown) (None)	Botswana	F: no host data, fly ID confirmed or considered reliable
62	Rutaceae / <i>Vepris trichocarpa</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Goodeniaceae / <i>Scaevola sericea</i> (None)	Kenya	A: reared material, fly ID confirmed
5	Solanaceae / <i>Capsicum cardenasii</i> (None)	Tanzania	B: reared material, fly ID unconfirmed but considered reliable
25	N/A / (Unknown) (None)	Zambia	F: no host data, fly ID confirmed or considered reliable
50	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable
2	Sapotaceae / <i>Sideroxylon inerme</i> (white milkwood)	Kenya	A: reared material, fly ID confirmed
1	Flacourtiaceae / <i>Flacourtia indica</i> (governor's plum)	Réunion	B: reared material, fly ID unconfirmed but considered reliable

Number of specimens	Host	Country	Reliability
1	Solanaceae / <i>Capsicum frutescens</i> (tabasco pepper)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
1	Sapotaceae / <i>Mimusops obtusifolia</i> (round-fruited red-milkwood)	Kenya	A: reared material, fly ID confirmed
1	Rutaceae / <i>Vepris trichocarpa</i> (None)	Kenya	B: reared material, fly ID unconfirmed but considered reliable
1	Loganiaceae / <i>Strychnos henningsii</i> (None)	Kenya	A: reared material, fly ID confirmed
73	N/A / (Unknown) (None)	Tanzania	F: no host data, fly ID confirmed or considered reliable
13	Myrtaceae / <i>Psidium guajava</i> (common guava)	Mozambique	D: associated material, fly ID confirmed or considered reliable
1	Ebenaceae / <i>Diospyros kaki</i> (japanese persimmon)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	Congo (D.R.)	F: no host data, fly ID confirmed or considered reliable
1	Solanaceae / <i>Solanum</i> sp. (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
2	Myrtaceae / <i>Psidium guajava</i> (common guava)	Kenya	A: reared material, fly ID confirmed
11	Passifloraceae / <i>Passiflora caerulea</i> (blue passion fruit)	South Africa	A: reared material, fly ID confirmed
1	Sapotaceae / <i>Mimusops obtusifolia</i> (round-fruited red-milkwood)	Kenya	A: reared material, fly ID confirmed
9	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Moraceae / <i>Ficus carica</i> (common fig)	Mauritius	B: reared material, fly ID unconfirmed but considered reliable
6	N/A / (Unknown) (None)	Ivory Coast	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Apocynaceae / <i>Carissa edulis</i> (egyptian carissa)	Kenya	A: reared material, fly ID confirmed
3	Sapotaceae / <i>Manilkara sansibarensis</i> (None)	Kenya	A: reared material, fly ID confirmed
21	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Senegal	F: no host data, fly ID confirmed or considered reliable
1	Cactaceae / <i>Pereskia aculeata</i> (Barbados gooseberry)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
1	Goodeniaceae / <i>Scaevola plumieri</i> (None)	Kenya	A: reared material, fly ID confirmed
37	Rubiaceae / <i>Coffea</i> sp. (coffee)	Kenya	D: associated material, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Egypt	F: no host data, fly ID confirmed or considered reliable

Number of specimens	Host	Country	Reliability
1	Myrtaceae / Psidium guajava (common guava)	South Africa	A: reared material, fly ID confirmed
3	Euphorbiaceae / Drypetes natalensis var. leiogyna (None)	Kenya	A: reared material, fly ID confirmed
1	Annonaceae / Annona reticulata (custard apple)	Mauritius	B: reared material, fly ID unconfirmed but considered reliable
3	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
3	Rubiaceae / Coffea sp. (coffee)	Zimbabwe	A: reared material, fly ID confirmed
1	Rutaceae / Vepris trichocarpa (None)	Kenya	A: reared material, fly ID confirmed
1	Myrtaceae / Psidium guajava (common guava)	Seychelles	B: reared material, fly ID unconfirmed but considered reliable
2	Sapotaceae / Mimusops obtusifolia (round-fruited red-milkwood)	Kenya	A: reared material, fly ID confirmed
10	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Opiliaceae / Pentarhopalopilium umbellulata (None)	Kenya	A: reared material, fly ID confirmed
1	Tiliaceae / Grewia trichocarpa (None)	Kenya	A: reared material, fly ID confirmed
1	Rutaceae / Citrus sinensis (sweet orange)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
1	Flagellariaceae / Flagellaria guineensis (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Liberia	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Malawi	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Botswana	F: no host data, fly ID confirmed or considered reliable
1	Capparaceae / Capparis sepiaria var. citrifolia (None)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
24	Rubiaceae / Coffea sp. (coffee)	Kenya	A: reared material, fly ID confirmed
1	Sapotaceae / Manilkara sulcata (None)	Kenya	A: reared material, fly ID confirmed
2	N/A / (Unknown) (None)	Zambia	F: no host data, fly ID confirmed or considered reliable
1	Goodeniaceae / Scaevola sericea (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
8	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
57	Rutaceae / Murraya exotica (Chinese box)	Congo (D.R.)	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Congo (D.R.)	F: no host data, fly ID confirmed or considered reliable
1	Myrtaceae / Psidium guajava (common guava)	Kenya	E: associated material, fly ID considered questionable
6	Flacourtiaceae / Dovyalis caffra (kei apple)	Kenya	A: reared material, fly ID confirmed
19	Passifloraceae / Passiflora caerulea (blue passion fruit)	South Africa	A: reared material, fly ID confirmed
6	N/A / (Unknown) (None)	Seychelles	F: no host data, fly ID confirmed or considered reliable

Number of specimens	Host	Country	Reliability
1	Rubiaceae / <i>Coffea arabica</i> (arabica coffee)	Cameroon	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	Cape Verde	F: no host data, fly ID confirmed or considered reliable
1	Sapotaceae / <i>Chrysophyllum magalismontanum</i> (None)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	Sapotaceae / <i>Argania spinosa</i> (argan)	Morocco	D: associated material, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Congo (D.R.)	F: no host data, fly ID confirmed or considered reliable
1	Sapotaceae / <i>Sideroxylon inerme</i> (white milkwood)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable
2	Sapotaceae / <i>Mimusops obtusifolia</i> (round-fruited red-milkwood)	Kenya	A: reared material, fly ID confirmed
100	N/A / (Unknown) (None)	Italy	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Comoro Is	F: no host data, fly ID confirmed or considered reliable
11	Passifloraceae / <i>Passiflora caerulea</i> (blue passion fruit)	South Africa	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Rutaceae / <i>Vepris simplicifolia</i> (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
1	Apocynaceae / <i>Carissa carandas</i> (None)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	Rutaceae / <i>Vepris simplicifolia</i> (None)	Kenya	A: reared material, fly ID confirmed
3	Meliaceae / <i>Ekebergia capensis</i> (dog plum, Cape ash)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Sao Tomé & Príncipe	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	St Helena	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Congo (D.R.)	F: no host data, fly ID confirmed or considered reliable
1	Vitaceae / <i>Vitis vinifera</i> (grapes)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	Uganda	F: no host data, fly ID confirmed or considered reliable
6	Rutaceae / <i>Vepris simplicifolia</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Solanaceae / <i>Capsicum frutescens</i> (tabasco pepper)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	Cucurbitaceae / <i>Coccinia microphylla</i> (None)	Kenya	A: reared material, fly ID confirmed
50	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable
1	Boraginaceae / <i>Ehretia cymosa</i> (None)	Réunion	B: reared material, fly ID unconfirmed but considered reliable

Number of specimens	Host	Country	Reliability
1	Rutaceae / <i>Murraya exotica</i> (Chinese box)	Congo (D.R.)	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Burkina Faso	F: no host data, fly ID confirmed or considered reliable
1	Myrtaceae / <i>Psidium guajava</i> (common guava)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	Rosaceae / <i>Eriobotrya japonica</i> (loquat)	South Africa	D: associated material, fly ID confirmed or considered reliable
3	N/A / (Unknown) (None)	Tanzania	F: no host data, fly ID confirmed or considered reliable
18	Sapotaceae / <i>Chrysophyllum viridifolium</i> (None)	South Africa	A: reared material, fly ID confirmed
1	Cactaceae / <i>Opuntia</i> sp. (prickly pear)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	Sapotaceae / <i>Manilkara butugi</i> (None)	Kenya	A: reared material, fly ID confirmed
4	N/A / (Unknown) (None)	Morocco	F: no host data, fly ID confirmed or considered reliable
7	Flacourtiaceae / <i>Dovyalis caffra</i> (kei apple)	South Africa	A: reared material, fly ID confirmed
1	Anacardiaceae / <i>Mangifera indica</i> (mango)	Seychelles	D: associated material, fly ID confirmed or considered reliable
8	Rubiaceae / <i>Polysphaeria parvifolia</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Rutaceae / <i>Vepris simplicifolia</i> (None)	Kenya	A: reared material, fly ID confirmed
2	N/A / (Unknown) (None)	Burundi	F: no host data, fly ID confirmed or considered reliable
1	Cactaceae / <i>Opuntia</i> sp. (prickly pear)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	Rosaceae / <i>Prunus persica</i> (peach)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	Moraceae / <i>Ficus</i> sp. (fig)	Benin	D: associated material, fly ID confirmed or considered reliable
1	Solanaceae / <i>Solanum auriculatum</i> (None)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
11	N/A / (Unknown) (None)	Morocco	F: no host data, fly ID confirmed or considered reliable
1	Rubiaceae / <i>Guettarda speciosa</i> (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Kenya	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Botswana	F: no host data, fly ID confirmed or considered reliable
1	Anacardiaceae / <i>Harpephyllum caffrum</i> (kaffir plum, wild plum)	Kenya	A: reared material, fly ID confirmed
2	Myrtaceae / <i>Psidium guajava</i> (common guava)	St Helena	A: reared material, fly ID confirmed
1	Sapotaceae / <i>Mimusops kirkii</i> (None)	Zimbabwe	B: reared material, fly ID unconfirmed but considered reliable
5	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable

Number of specimens	Host	Country	Reliability
2	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Rutaceae / Citrus sp. (None)	Kenya	E: associated material, fly ID considered questionable
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Ethiopia	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Myrtaceae / Syzygium samarangense (java apple)	Mauritius	B: reared material, fly ID unconfirmed but considered reliable
8	N/A / (Unknown) (None)	Morocco	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
4	Sapotaceae / Mimusops obtusifolia (round-fruited red-milkwood)	Kenya	A: reared material, fly ID confirmed
1	Simaroubaceae / Harrisonia abyssinica (None)	Kenya	A: reared material, fly ID confirmed
2	N/A / (Unknown) (None)	Tanzania	F: no host data, fly ID confirmed or considered reliable
1	Sapotaceae / Manilkara sansibarensis (None)	Kenya	A: reared material, fly ID confirmed
21	Rosaceae / Prunus sp. cf capuli (None)	Kenya	A: reared material, fly ID confirmed
1	Oleaceae / Olea europaea cuspidata (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Kenya	F: no host data, fly ID confirmed or considered reliable
1	Sapotaceae / Mimusops caffra (coast red-milkwood)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
2	Ebenaceae / Diospyros abyssinica (None)	Kenya	A: reared material, fly ID confirmed
1	Euphorbiaceae / Drypetes natalensis (None)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	Myrtaceae / Eugenia sp. (None)	Congo (D.R.)	D: associated material, fly ID confirmed or considered reliable
2	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
28	N/A / (Unknown) (None)	Togo	F: no host data, fly ID confirmed or considered reliable
1	Rubiaceae / Coffea canephora (robusta coffee)	Cameroon	B: reared material, fly ID unconfirmed but considered reliable
1	Sapotaceae / Manilkara zapota (sapodilla, chicle)	Uganda	E: associated material, fly ID considered questionable
1	Rutaceae / Citrus sinensis (sweet orange)	Seychelles	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
1	Sapotaceae / Mimusops kummel (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable

Number of specimens	Host	Country	Reliability
1	Cucurbitaceae / Cucumis melo (melon)	Seychelles	D: associated material, fly ID confirmed or considered reliable
2	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
1	Solanaceae / Solanum scabrum (None)	Tanzania	B: reared material, fly ID unconfirmed but considered reliable
1	Loganiaceae / Strychnos potatorum (None)	Zambia	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Opiliaceae / Pentarhopalopilium umbellulata (None)	Kenya	A: reared material, fly ID confirmed
1	Apocynaceae / Carissa tetramera (None)	Kenya	A: reared material, fly ID confirmed
1	Loganiaceae / Strychnos decussata (Cape teak)	South Africa	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Burkina Faso	F: no host data, fly ID confirmed or considered reliable
17	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
6	Rutaceae / Murraya exotica (Chinese box)	Congo (D.R.)	A: reared material, fly ID confirmed
4	Apocynaceae / Carissa sp. (None)	Kenya	A: reared material, fly ID confirmed
1	Anacardiaceae / Mangifera indica (mango)	Tanzania	D: associated material, fly ID confirmed or considered reliable
3	N/A / (Unknown) (None)	Canary Is	F: no host data, fly ID confirmed or considered reliable
1	Rubiaceae / Coffea sp. (coffee)	Tanzania	B: reared material, fly ID unconfirmed but considered reliable
1	Sapindaceae / Filicium decipiens (fernleaf)	Kenya	A: reared material, fly ID confirmed
1	Flacourtiaceae / Dovyalis caffra (kei apple)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
21	Araliaceae / Schefflera volkensii (None)	Kenya	C: reared material, fly ID considered questionable
1	Tiliaceae / Grewia trichocarpa (None)	Kenya	A: reared material, fly ID confirmed
50	N/A / (Unknown) (None)	Ivory Coast	F: no host data, fly ID confirmed or considered reliable
1	Flacourtiaceae / Rawsonia sp. (None)	Kenya	B: reared material, fly ID unconfirmed but considered reliable
10	? (unknown name) / Sensipalum dulcificum (None)	Ghana	D: associated material, fly ID confirmed or considered reliable
1	Rubiaceae / Coffea sp. (coffee)	Congo (D.R.)	D: associated material, fly ID confirmed or considered reliable
5	Rubiaceae / Polysphaeria parvifolia (None)	Kenya	A: reared material, fly ID confirmed
1	Apocynaceae / Thevetia peruviana (lucky nut, yellow oleander)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	Anacardiaceae / Mangifera indica (mango)	Mauritius	B: reared material, fly ID unconfirmed but considered reliable
8	Flacourtiaceae / Dovyalis caffra (kei apple)	Kenya	A: reared material, fly ID confirmed

Number of specimens	Host	Country	Reliability
1	Flagellariaceae / <i>Flagellaria guineensis</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Anacardiaceae / <i>Mangifera indica</i> (mango)	Uganda	D: associated material, fly ID confirmed or considered reliable
1	Rubiaceae / <i>Polysphaeria parvifolia</i> (None)	Kenya	B: reared material, fly ID unconfirmed but considered reliable
1	Myrtaceae / <i>Psidium cattleianum</i> (strawberry guava, cherry guava)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	Rosaceae / <i>Pyrus communis</i> (pear)	Portugal	B: reared material, fly ID unconfirmed but considered reliable
1	Rubiaceae / <i>Coffea</i> sp. (coffee)	South Africa	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Réunion	F: no host data, fly ID confirmed or considered reliable
1	Santalaceae / <i>Santalum album</i> (Indian Sandalwood)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
9	N/A / (Unknown) (None)	Kenya	F: no host data, fly ID confirmed or considered reliable
1	Rubiaceae / <i>Coffea</i> sp. (coffee)	Congo (D.R.)	D: associated material, fly ID confirmed or considered reliable
2	N/A / (Unknown) (None)	Seychelles	F: no host data, fly ID confirmed or considered reliable
1	Moraceae / <i>Ficus</i> sp. (fig)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	Burundi	F: no host data, fly ID confirmed or considered reliable
1	Rubiaceae / <i>Coffea arabica</i> (arabica coffee)	Kenya	B: reared material, fly ID unconfirmed but considered reliable
1	Anacardiaceae / <i>Mangifera indica</i> (mango)	Namibia	D: associated material, fly ID confirmed or considered reliable
1	Rosaceae / <i>Prunus persica</i> (peach)	St Helena	D: associated material, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Burundi	F: no host data, fly ID confirmed or considered reliable
10	Sapotaceae / <i>Mimusops caffra</i> (coast red-milkwood)	South Africa	A: reared material, fly ID confirmed
5	Rubiaceae / <i>Coffea</i> sp. (coffee)	Kenya	B: reared material, fly ID unconfirmed but considered reliable
1	Myrtaceae / <i>Psidium guajava</i> (common guava)	Eritrea	B: reared material, fly ID unconfirmed but considered reliable
2	Rutaceae / <i>Citrus</i> sp. (None)	Tanzania	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Morocco	F: no host data, fly ID confirmed or considered reliable
2	N/A / (Unknown) (None)	Uganda	F: no host data, fly ID confirmed or considered reliable
50	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable
10	N/A / (Unknown) (None)	Congo (D.R.)	F: no host data, fly ID confirmed or considered reliable

Number of specimens	Host	Country	Reliability
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
2	Rosaceae / Prunus domestica (plum)	Kenya	D: associated material, fly ID confirmed or considered reliable
1	Sapindaceae / Filicium decipiens (fernleaf)	Kenya	A: reared material, fly ID confirmed
1	Anacardiaceae / Mangifera indica (mango)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	Egypt	F: no host data, fly ID confirmed or considered reliable
1	Solanaceae / Capsicum frutescens (tabasco pepper)	Cameroon	B: reared material, fly ID unconfirmed but considered reliable
1	Myrtaceae / Psidium cattleianum (strawberry guava, cherry guava)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
8	Rutaceae / Murraya exotica (Chinese box)	Congo (D.R.)	A: reared material, fly ID confirmed
1	Sapindaceae / Filicium decipiens (fernleaf)	Kenya	A: reared material, fly ID confirmed
1	Apocynaceae / Carissa edulis (egyptian carissa)	Kenya	A: reared material, fly ID confirmed
1	Rutaceae / Citrus japonica (Kumquat)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
2	N/A / (Unknown) (None)	Malawi	F: no host data, fly ID confirmed or considered reliable
12	Sapotaceae / Mimusops obtusifolia (round-fruited red-milkwood)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Libya	F: no host data, fly ID confirmed or considered reliable
1	Solanaceae / Capsicum frutescens (tabasco pepper)	Mauritius	B: reared material, fly ID unconfirmed but considered reliable
1	Moraceae / Ficus sp. (fig)	Uganda	E: associated material, fly ID considered questionable
1	N/A / (Unknown) (None)	Madagascar	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
6	Vitaceae / Vitis vinifera (grapes)	Namibia	D: associated material, fly ID confirmed or considered reliable
1	Sapotaceae / Mimusops kummel (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
1	Myrtaceae / Syzygium malaccense (Malay-apple)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
6	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Rutaceae / Citrus sinensis (sweet orange)	Benin	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
1	Liliaceae / Asparagus sp. (asparagus)	South Africa	A: reared material, fly ID confirmed
1	Simaroubaceae / Harrisonia abyssinica (None)	Kenya	A: reared material, fly ID confirmed

Number of specimens	Host	Country	Reliability
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
11	Anacardiaceae / Mangifera indica (mango)	South Africa	D: associated material, fly ID confirmed or considered reliable
1	Polygonaceae / Coccoloba uvifera (seagrape)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
4	Goodeniaceae / Scaevola plumieri (None)	Kenya	A: reared material, fly ID confirmed
1	Euphorbiaceae / Antidesma venosum (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
1	Loganiaceae / Strychnos henningsii (None)	Kenya	A: reared material, fly ID confirmed
1	Myrtaceae / Psidium guajava (common guava)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	Podocarpaceae / Podocarpus elongatus (yellow-wood)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	Rutaceae / Casimiroa edulis (white sapote)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
14	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
1	Euphorbiaceae / Flueggea virosa (None)	Kenya	A: reared material, fly ID confirmed
1	Loganiaceae / Strychnos henningsii (None)	Kenya	A: reared material, fly ID confirmed
1	Rutaceae / Citrus sp. (None)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
11	Anacardiaceae / Mangifera indica (mango)	Comoro Is	D: associated material, fly ID confirmed or considered reliable
1	Rutaceae / Murraya exotica (Chinese box)	Congo (D.R.)	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Congo (D.R.)	F: no host data, fly ID confirmed or considered reliable
1	Rutaceae / Vepris trichocarpa (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Annonaceae / Annona cherimola (cherimoya)	Seychelles	B: reared material, fly ID unconfirmed but considered reliable
1	Myrtaceae / Acca sellowiana (pineapple guava)	Mauritius	B: reared material, fly ID unconfirmed but considered reliable
1	Tiliaceae / Grewia tembensis (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Congo (D.R.)	F: no host data, fly ID confirmed or considered reliable
9	Celastraceae / Elaeodendron schweinfurthianum (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Morocco	F: no host data, fly ID confirmed or considered reliable
1	Lauraceae / Persea americana (avocado)	Mauritius	B: reared material, fly ID unconfirmed but considered reliable
1	Rutaceae / Citrus sp. (None)	Ghana	C: reared material, fly ID considered questionable

Number of specimens	Host	Country	Reliability
37	Sapotaceae / <i>Mimusops obtusifolia</i> (round-fruited red-milkwood)	Kenya	A: reared material, fly ID confirmed
1	Flacourtiaceae / <i>Dovyalis caffra</i> (kei apple)	Kenya	A: reared material, fly ID confirmed
1	Cucurbitaceae / <i>Peponium mackenii</i> (None)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
44	N/A / (Unknown) (None)	Burundi	F: no host data, fly ID confirmed or considered reliable
18	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Rubiaceae / <i>Coffea arabica</i> (arabica coffee)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	Sapotaceae / <i>Manilkara sulcata</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Rosaceae / <i>Prunus armeniaca</i> (apricot)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	Botswana	F: no host data, fly ID confirmed or considered reliable
7	? (unknown name) / <i>Erythrophyllum caffrum</i> (None)	South Africa	A: reared material, fly ID confirmed
2	N/A / (Unknown) (None)	Yemen	F: no host data, fly ID confirmed or considered reliable
1	Anacardiaceae / <i>Harpephyllum caffrum</i> (kaffir plum, wild plum)	Kenya	A: reared material, fly ID confirmed
3	Celastraceae / <i>Salacia elegans</i> (None)	Kenya	A: reared material, fly ID confirmed
12	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Anacardiaceae / <i>Mangifera indica</i> (mango)	South Africa	A: reared material, fly ID confirmed
1	Solanaceae / <i>Solanum capsicastrum</i> (None)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	Apocynaceae / <i>Carissa grandiflora</i> (natal plum)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	Cameroon	F: no host data, fly ID confirmed or considered reliable
1	Loganiaceae / <i>Strychnos henningsii</i> (None)	Kenya	A: reared material, fly ID confirmed
2	N/A / (Unknown) (None)	Uganda	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
1	Apocynaceae / <i>Acokanthera oppositifolia</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Solanaceae / <i>Capsicum annuum</i> (bell pepper, capsicum)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	Rubiaceae / <i>Coffea canephora</i> (robusta coffee)	Uganda	C: reared material, fly ID considered questionable
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable
4	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable

Number of specimens	Host	Country	Reliability
1	Solanaceae / <i>Capsicum frutescens</i> (tabasco pepper)	Senegal	D: associated material, fly ID confirmed or considered reliable
1	Rutaceae / <i>Vepris simplicifolia</i> (None)	Kenya	A: reared material, fly ID confirmed
8	Rubiaceae / <i>Coffea arabica</i> (arabica coffee)	Tanzania	A: reared material, fly ID confirmed
1	Apocynaceae / <i>Carissa edulis</i> (egyptian carissa)	Kenya	A: reared material, fly ID confirmed
2	Euphorbiaceae / <i>Antidesma venosum</i> (None)	Kenya	A: reared material, fly ID confirmed
4	Celastraceae / <i>Salacia elegans</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Capparaceae / <i>Capparis sepiaria</i> (wild caper-bush)	Kenya	A: reared material, fly ID confirmed
2	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
1	Rubiaceae / <i>Coffea</i> sp. (coffee)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
5	N/A / (Unknown) (None)	Uganda	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
0	N/A / (Unknown) (None)	Zambia	F: no host data, fly ID confirmed or considered reliable
1	Passifloraceae / <i>Passiflora suberosa</i> (None)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
13	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
3	Simaroubaceae / <i>Harrisonia abyssinica</i> (None)	Kenya	A: reared material, fly ID confirmed
6	N/A / (Unknown) (None)	Burundi	F: no host data, fly ID confirmed or considered reliable
128	N/A / (Unknown) (None)	Congo (D.R.)	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
18	Rubiaceae / <i>Coffea</i> sp. (coffee)	Tanzania	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Nigeria	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Tanzania	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Botswana	F: no host data, fly ID confirmed or considered reliable
1	Rubiaceae / <i>Coffea arabica</i> (arabica coffee)	Mauritius	B: reared material, fly ID unconfirmed but considered reliable
1	Rubiaceae / <i>Coffea</i> sp. (coffee)	Cameroon	A: reared material, fly ID confirmed
1	Celastraceae / <i>Elaeodendron schweinfurthianum</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Sapotaceae / <i>Manilkara sansibarensis</i> (None)	Kenya	A: reared material, fly ID confirmed
30	Sapotaceae / <i>Mimusops obtusifolia</i> (round-fruited red-milkwood)	Kenya	A: reared material, fly ID confirmed
2	Apocynaceae / <i>Carissa edulis</i> (egyptian carissa)	Kenya	A: reared material, fly ID confirmed

Number of specimens	Host	Country	Reliability
1	Rutaceae / <i>Atalantia</i> sp. (None)	Congo (D.R.)	A: reared material, fly ID confirmed
1	Sapotaceae / <i>Sideroxylon inerme</i> (white milkwood)	Kenya	A: reared material, fly ID confirmed
5	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Burundi	F: no host data, fly ID confirmed or considered reliable
6	Capparaceae / <i>Capparis sepiaria</i> (wild caper-bush)	South Africa	A: reared material, fly ID confirmed
40	N/A / (Unknown) (None)	Zambia	F: no host data, fly ID confirmed or considered reliable
7	Annonaceae / <i>Annona reticulata</i> (custard apple)	South Africa	A: reared material, fly ID confirmed
1	Boraginaceae / <i>Bouyeria petiolaris</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Rutaceae / <i>Citrus sinensis</i> (sweet orange)	Benin	D: associated material, fly ID confirmed or considered reliable
1	Rosaceae / <i>Cydonia oblonga</i> (quince)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	Rosaceae / <i>Malus domestica</i> (apple)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	Flacourtiaceae / <i>Flacourtia indica</i> (governor's plum)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
51	N/A / (Unknown) (None)	Azores	F: no host data, fly ID confirmed or considered reliable
1	Rubiaceae / <i>Polysphaeria parvifolia</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Apocynaceae / <i>Carissa tetramera</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Rosaceae / <i>Prunus persica</i> (peach)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	Ericaceae / <i>Arbutus unedo</i> (strawberry tree)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	Loganiaceae / <i>Strychnos decussata</i> (Cape teak)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
2	N/A / (Unknown) (None)	Angola	F: no host data, fly ID confirmed or considered reliable
1	Ebenaceae / <i>Euclea racemosa schimperi</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Rubiaceae / <i>Coffea canephora</i> (robusta coffee)	Togo	B: reared material, fly ID unconfirmed but considered reliable
1	Rosaceae / <i>Prunus africana</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Rubiaceae / <i>Coffea</i> sp. (coffee)	Congo (D.R.)	D: associated material, fly ID confirmed or considered reliable
1	Solanaceae / <i>Capsicum frutescens</i> (tabasco pepper)	Senegal	D: associated material, fly ID confirmed or considered reliable
2	Euphorbiaceae / <i>Drypetes natalensis</i> (None)	Kenya	A: reared material, fly ID confirmed

Number of specimens	Host	Country	Reliability
1	Fabaceae / Pithecellobium dulce (None)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	Rubiaceae / Oxyanthus zanguebaricus (None)	Kenya	A: reared material, fly ID confirmed
1	Myrtaceae / Psidium guajava (common guava)	St Helena	D: associated material, fly ID confirmed or considered reliable
1	Rutaceae / Citrus limon (lemon)	Mozambique	D: associated material, fly ID confirmed or considered reliable
1	Rutaceae / Citrus reticulata (tangerine)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
96	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
1	Rosaceae / Prunus persica (peach)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	Apocynaceae / Carissa grandiflora (natal plum)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
2	Cucurbitaceae / Corallocarpus ellipticus (None)	Kenya	A: reared material, fly ID confirmed
1	Rubiaceae / Guettarda speciosa (None)	Kenya	A: reared material, fly ID confirmed
21	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
4	Rosaceae / Prunus persica (peach)	Yemen	B: reared material, fly ID unconfirmed but considered reliable
2	Celastraceae / Mystroxydon aethiopicum (None)	Kenya	A: reared material, fly ID confirmed
109	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
13	N/A / (Unknown) (None)	Canary Is	F: no host data, fly ID confirmed or considered reliable
18	Berberidaceae / Berberis holstii (None)	Kenya	A: reared material, fly ID confirmed
1	Sapotaceae / Mimusops obtusifolia (round-fruited red-milkwood)	Kenya	A: reared material, fly ID confirmed
1	Myrtaceae / Psidium guajava (common guava)	Eritrea	B: reared material, fly ID unconfirmed but considered reliable
555	Sapotaceae / Mimusops obtusifolia (round-fruited red-milkwood)	Kenya	A: reared material, fly ID confirmed
50	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Tanzania	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Malawi	F: no host data, fly ID confirmed or considered reliable
1	Salvadoraceae / Azima tetraacantha (None)	Kenya	A: reared material, fly ID confirmed
1	Myrtaceae / Psidium friedrichsthalianum (coronilla)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
15	Meliaceae / Ekebergia capensis (dog plum, Cape ash)	Kenya	A: reared material, fly ID confirmed

Number of specimens	Host	Country	Reliability
1	Sapotaceae / <i>Mimusops obtusifolia</i> (round-fruited red-milkwood)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Seychelles	F: no host data, fly ID confirmed or considered reliable
1	Ebenaceae / <i>Diospyros abyssinica</i> (None)	Kenya	A: reared material, fly ID confirmed
4	Cactaceae / <i>Opuntia</i> sp. (prickly pear)	South Africa	D: associated material, fly ID confirmed or considered reliable
2	Sapotaceae / <i>Sideroxylon inerme</i> (white milkwood)	Kenya	A: reared material, fly ID confirmed
12	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Tanzania	F: no host data, fly ID confirmed or considered reliable
1	Sapotaceae / <i>Sideroxylon inerme</i> (white milkwood)	Kenya	A: reared material, fly ID confirmed
1	Sapotaceae / <i>Mimusops elengi</i> (spanish cherry)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	Rutaceae / <i>Citrus sinensis</i> (sweet orange)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	Rutaceae / <i>Citrus x nobilis</i> (tangor)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	Burkina Faso	F: no host data, fly ID confirmed or considered reliable
42	N/A / (Unknown) (None)	Tanzania	F: no host data, fly ID confirmed or considered reliable
1	Sapotaceae / <i>Chrysophyllum</i> sp. (None)	Togo	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	Congo (D.R.)	F: no host data, fly ID confirmed or considered reliable
1	Rhamnaceae / <i>Ziziphus mauritiana</i> (indian jujube)	Mauritius	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	Burkina Faso	F: no host data, fly ID confirmed or considered reliable
1	Sapotaceae / <i>Sideroxylon inerme</i> (white milkwood)	Kenya	A: reared material, fly ID confirmed
4	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Congo (Brazzaville)	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Portugal	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Nigeria	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Rosaceae / <i>Malus domestica</i> (apple)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	Rubiaceae / <i>Coffea arabica</i> (arabica coffee)	Kenya	A: reared material, fly ID confirmed
50	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable
38	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable

Number of specimens	Host	Country	Reliability
1	N/A / (Unknown) (None)	Kenya	F: no host data, fly ID confirmed or considered reliable
32	Rutaceae / Vepris trichocarpa (None)	Kenya	A: reared material, fly ID confirmed
104	N/A / (Unknown) (None)	Tunisia	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
8	Solanaceae / Capsicum annuum (bell pepper, capsicum)	Benin	D: associated material, fly ID confirmed or considered reliable
88	N/A / (Unknown) (None)	Mozambique	F: no host data, fly ID confirmed or considered reliable
1	Solanaceae / Capsicum annuum (bell pepper, capsicum)	Ghana	A: reared material, fly ID confirmed
1	Sapotaceae / Argania spinosa (argan)	Morocco	A: reared material, fly ID confirmed
1	Ebenaceae / Euclea divinorum (None)	Kenya	A: reared material, fly ID confirmed
1	Rubiaceae / Guettarda speciosa (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
14	Rutaceae / Murraya exotica (Chinese box)	Congo (D.R.)	A: reared material, fly ID confirmed
1	Loganiaceae / Strychnos henningsii (None)	Kenya	A: reared material, fly ID confirmed
1	Myrtaceae / Syzygium samarangense (java apple)	Seychelles	B: reared material, fly ID unconfirmed but considered reliable
56	Euphorbiaceae / Drypetes sp. (None)	Kenya	A: reared material, fly ID confirmed
2	Solanaceae / Capsicum frutescens (tabasco pepper)	Congo (Brazzaville)	D: associated material, fly ID confirmed or considered reliable
1	Rubiaceae / Coffea arabica (arabica coffee)	Kenya	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	Portugal	F: no host data, fly ID confirmed or considered reliable
2	Myrtaceae / Eugenia paniculata (None)	South Africa	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable
3	Apocynaceae / Acokanthera friesiorum (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
1	Oleaceae / Olea woodiana (None)	Kenya	A: reared material, fly ID confirmed
1	N/A / (Unknown) (None)	Niger	F: no host data, fly ID confirmed or considered reliable
1	Myrtaceae / Eugenia uniflora (surinam cherry, pitanga cherry)	Réunion	B: reared material, fly ID unconfirmed but considered reliable
1	N/A / (Unknown) (None)	Zimbabwe	F: no host data, fly ID confirmed or considered reliable
6	N/A / (Unknown) (None)	Congo (D.R.)	F: no host data, fly ID confirmed or considered reliable
1	Euphorbiaceae / Drypetes natalensis (None)	Kenya	A: reared material, fly ID confirmed
7	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable
30	N/A / (Unknown) (None)	Togo	F: no host data, fly ID confirmed or considered reliable

Number of specimens	Host	Country	Reliability
1	Oleaceae / <i>Olea woodiana</i> (None)	Kenya	A: reared material, fly ID confirmed
2	N/A / (Unknown) (None)	Comoro Is	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	South Africa	F: no host data, fly ID confirmed or considered reliable
7	Anacardiaceae / <i>Harpephyllum caffrum</i> (kaffir plum, wild plum)	South Africa	A: reared material, fly ID confirmed
1	Flacourtiaceae / <i>Ludia mauritiana</i> (None)	Kenya	A: reared material, fly ID confirmed
2	Flagellariaceae / <i>Flagellaria guineensis</i> (None)	Kenya	A: reared material, fly ID confirmed
2	Cecropiaceae / <i>Myrianthus arboreus</i> (bugtree?)	Tanzania	A: reared material, fly ID confirmed
50	N/A / (Unknown) (None)	Benin	F: no host data, fly ID confirmed or considered reliable
1	N/A / (Unknown) (None)	Kenya	F: no host data, fly ID confirmed or considered reliable
1	Sapindaceae / <i>Litchi chinensis</i> (litchi, lychee)	South Africa	D: associated material, fly ID confirmed or considered reliable
22	N/A / (Unknown) (None)	Senegal	F: no host data, fly ID confirmed or considered reliable
1	Rutaceae / <i>Vepris nobilis</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Sapotaceae / <i>Manilkara butugi</i> (None)	Kenya	A: reared material, fly ID confirmed
1	Rutaceae / <i>Citrus</i> sp. (None)	South Africa	B: reared material, fly ID unconfirmed but considered reliable
1	Sapotaceae / <i>Sideroxylon inerme</i> (white milkwood)	Kenya	A: reared material, fly ID confirmed
1	Anacardiaceae / <i>Mangifera indica</i> (mango)	Guinea	A: reared material, fly ID confirmed
1	Solanaceae / <i>Solanum aethiopicum</i> (None)	Tanzania	B: reared material, fly ID unconfirmed but considered reliable